

**EC- Declaration of conformity**



PUKKILA OY AB  
Pitkämäenkatu 9  
FI-20250 TURKU

Manufacturing Unit: TURKU

**Product:**

“Dry-pressed ceramic tiles, E > 10%, Group BIII , Annex L, (GL)

According to standard EN 14411 Ceramic tiles – Definition, classification, characteristics and marking products results consistent with Annex ZA and ZB.

**Description and conditions applicable to the use of the product:**

Ceramic tiles, for internal wall finishes

**Characteristics, which products complete**

Characteristics	Declared value	Test method
Reaction to fire	A1 <sub>fl</sub>	Decision 96/603/EEC
Modulus of rupture	Thickness <7,5 : 12 N/mm <sup>2</sup> Thickness ≥ 7,5: 15 N/mm <sup>2</sup>	ISO 10545-4
Bond strength	> 0,5 N/mm <sup>2</sup>	For cementitious adhesives Class C2 (EN12004:2001)
Release of dangerous substances		
- release of cadmium	Not defined	ISO 10545-15
- release of lead	Not defined	ISO 10545-15

**Notified laboratories:**

CENTRO CERAMICO, CENTRO DI RICERCA, E SPERIMENTAZIONE  
PER L'INDUSTRIA CERAMICA  
Via Martelli, 26- 40138 Bologna


VTT, Technical Research Centre of Finland, Construction  
PL 18011  
FI-02044 VTT

**Signature:**



Name: Veikko Virta  
Position: Production Manager  
Date: 7.2.2007

**Signature:**



Name: Seppo Jokinen  
Position: Technical Advice  
Date: 7.2.2007